

Modern Carpentry GBM (Ultimate)

Quote #: ZVD8MVA

A Proposal for Window and Door Products prepared for:

Job Site:

98105

Shipping Address:

DUNN LUMBER-BELLEVUE
10411 AIRPORT RD STE 102
EVERETT, WA 98204-3523

Featuring products from:

MARVIN 



ERIC KENNEDY
DUNN LUMBER-BELLEVUE
PO BOX 45550
SEATTLE, WA 98145-0550
Phone: (206) 634-4564

Email: erick@dunnlumber.com

This report was generated on 1/23/2025 11:38:34 AM using the Marvin Order Management System, version 0004.13.00 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.


NUMBER OF LINES: 13		TOTAL UNIT QTY: 13		EXT NET PRICE: USD		41,011.50
LINE	MARK UNIT	PRODUCT LINE	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1	Pantry	Ultimate	Marvin Assembly RO 99 1/2" X 63 1/2" Entered as RO 99 1/2" X 63 1/2"	5,432.27	1	5,432.27
2	Family Room	Ultimate	Direct Glaze Narrow Frame Rectangle RO 105" X 69" Entered as RO 105" X 69"	3,558.37	1	3,558.37
3	Family Room - MAX 63-5/8" H	Ultimate	Awning Push Out RO 55" X 63 5/8" Entered as RO 55" X 63 5/8"	3,689.07	1	3,689.07
4	Dining Room - VERIFY HANDING	Ultimate	Marvin Assembly RO 105" X 66 1/2" Entered as RO 105" X 66 1/2"	5,605.56	1	5,605.56
5	Pantry	Ultimate	Direct Glaze Narrow Frame Rectangle RO 83" X 63 1/2" Entered as RO 83" X 63 1/2"	2,183.04	1	2,183.04
6	Kitchen	Ultimate	Awning Narrow Frame Push Out RO 55" X 38" Entered as RO 55" X 38"	2,456.93	1	2,456.93
7	Guest Bedroom - EGRESS?	Ultimate	Marvin Assembly RO 53" X 68 3/4" Entered as RO 53" X 68 3/4"	5,027.68	1	5,027.68
8	700	Ultimate	Casement Narrow Frame Push Out RO 29" X 40 3/4" Entered as RO 29" X 40 3/4"	1,960.55	1	1,960.55
9	Office - EGRESS?	Ultimate	Marvin Assembly RO 53" X 68 3/4" Entered as RO 53" X 68 3/4"	5,027.68	1	5,027.68
10	Powder	Modern	Awning Push Out RO 28 3/4" X 40 1/2" Entered as RO 28 3/4" X 40 1/2"	2,489.27	1	2,489.27
11	Guest Bathroom	Modern	Awning Push Out RO 28 3/4" X 40 1/2" Entered as RO 28 3/4" X 40 1/2"	2,612.59	1	2,612.59
12	Storage - VERIFY HANDING	Essential	Glider RO 39" X 24" Entered as RO 39" X 24"	630.05	1	630.05
13	Mechanical	Essential	Direct Glaze Rectangle RO 16 1/2" X 21"	338.44	1	338.44

Entered as
RO 16 1/2" X 21"

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: Pantry	Net Price:		5,432.27
Qty: 1		Ext. Net Price:	USD	5,432.27



Entered As: RO
MO 99" X 63 1/4"
FS 98 1/2" X 63"
RO 99 1/2" X 63 1/2"
Egress Information A1, A2
No Egress Information available.
Egress Information A3
Width: 26 21/32" Height: 58 59/64"
Net Clear Opening: 10.91 SqFt
Performance Information A1, A2
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.35
Visible Light Transmittance: 0.61
Condensation Resistance: 57
CPD Number: MAR-N-440-06927-00010
Performance Information A3
U-Factor: 0.32
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 59
CPD Number: MAR-N-359-06526-00009

Feature Mismatch: Interior Glazing Profile
Bronze Clad Exterior
Bare White Oak Interior
3W1H - Rectangle Assembly
Assembly Rough Opening
99 1/2" X 63 1/2"

Unit: A1
Ultimate Direct Glaze Narrow Frame Rectangle
Basic Frame 32 53/64" X 63"
Rough Opening 33 53/64" X 63 1/2"
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile

Unit: A2
Ultimate Direct Glaze Narrow Frame Rectangle
Basic Frame 32 53/64" X 63"
Rough Opening 33 53/64" X 63 1/2"
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile

Unit: A3
Ultimate Casement Narrow Frame Push Out - Right Hand
Basic Frame 32 53/64" X 63"
Rough Opening 33 53/64" X 63 1/2"
0 Degree Frame Bevel
Bronze Clad Sash Exterior
Bare White Oak Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Oil Rubbed Bronze Push Out Handle
Swinging Wood Screen
Bright View Mesh
Bare White Oak
Ogee Interior Screen Profile
Screen Hardware
Oil Rubbed Bronze Butt Hinge
Solid Wood Covers
Standard Mull Charge
2 3/16" Jamb
Jamb Depth has been changed to 2 3/16". Apply Jamb Extension now if needed.
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #2	Mark Unit: Family Room	Net Price:		3,558.37
Qty: 1		Ext. Net Price:	USD	3,558.37

MARVIN 



As Viewed From The Exterior

Entered As: RO
MO 104 1/2" X 68 3/4"
FS 104" X 68 1/2"
RO 105" X 69"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.35
Visible Light Transmittance: 0.6
Condensation Resistance: 57
CPD Number: MAR-N-440-06927-00042

Bronze Clad Exterior
Bare White Oak Interior
Ultimate Direct Glaze Narrow Frame Rectangle
Rough Opening 105" X 69"
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
2 3/16" Jamb
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**


Initials required

Seller: _____

Buyer: _____

Line #3	Mark Unit: Family Room - MAX 63-5/8" H	Net Price:		3,689.07
Qty: 1		Ext. Net Price:	USD	3,689.07

MARVIN 



As Viewed From The Exterior

Entered As: RO
MO 54 1/2" X 63 3/8"
FS 54" X 63 1/8"
RO 55" X 63 5/8"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.32

Bronze Clad Exterior
Bare White Oak Interior
Ultimate Awning Push Out - Push Out
Rough Opening 55" X 63 5/8"
****Unit Is Not WDMA Certified****
Frame Size 54" X 63 1/8"
Bronze Clad Sash Exterior
Bare White Oak Sash Interior
IG - 3/4" - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Oil Rubbed Bronze Push Out Handle
Swinging Wood Screen
Bright View Mesh
Bare White Oak
Ogee Interior Screen Profile
Screen Hardware
Oil Rubbed Bronze Butt Hinge
Solid Wood Covers
4 9/16" Jamb
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Initials required


Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.48
Condensation Resistance: 56
CPD Number: MAR-N-360-16774-00002

Seller: _____

Buyer: _____

Line #4	Mark Unit: Dining Room - VERIFY HANDING	Net Price:		5,605.56
Qty: 1		Ext. Net Price:	USD	5,605.56

MARVIN 



As Viewed From The Exterior

Entered As: RO

MO 104 1/2" X 66 1/4"

FS 104" X 66"

RO 105" X 66 1/2"

Egress Information A1

No Egress Information available.

Egress Information A2

Width: 17 5/16" Height: 61 59/64"

Net Clear Opening: 7.45 SqFt

Performance Information A1

U-Factor: 0.29

Solar Heat Gain Coefficient: 0.35

Visible Light Transmittance: 0.6

Condensation Resistance: 57

CPD Number: MAR-N-440-06927-00042

Performance Information A2

U-Factor: 0.32

Solar Heat Gain Coefficient: 0.29

Visible Light Transmittance: 0.49

Condensation Resistance: 59

CPD Number: MAR-N-359-06539-00001

Feature Mismatch: Interior Glazing Profile

Bronze Clad Exterior

Bare White Oak Interior

2W1H - Rectangle Assembly

Assembly Rough Opening

105" X 66 1/2"

Unit: A1

Ultimate Direct Glaze Narrow Frame Rectangle

Basic Frame 80 1/2" X 66"

Rough Opening 81 1/2" X 66 1/2"

IG - 1 Lite

Tempered Low E2 w/Argon

Black Perimeter Bar

Putty Exterior Glazing Profile

Unit: A2

Ultimate Casement Narrow Frame Push Out - Left Hand

Basic Frame 23 1/2" X 66"

Rough Opening 24 1/2" X 66 1/2"

0 Degree Frame Bevel

Bronze Clad Sash Exterior

Bare White Oak Sash Interior

IG - 1 Lite

Tempered Low E2 w/Argon

Black Perimeter Bar

Putty Exterior Glazing Profile

Ogee Interior Glazing Profile

Standard Bottom Rail

Black Weather Strip

Oil Rubbed Bronze Push Out Handle

Swinging Wood Screen

Bright View Mesh

Bare White Oak

Ogee Interior Screen Profile

Screen Hardware

Oil Rubbed Bronze Butt Hinge

Solid Wood Covers

Standard Mull Charge

2 3/16" Jamb

Jamb Depth has been changed to 2 3/16". Apply Jamb Extension now if needed.

Nailing Fin

***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.

*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #5	Mark Unit: Pantry	Net Price:		2,183.04
Qty: 1		Ext. Net Price:	USD	2,183.04




As Viewed From The Exterior

Entered As: RO
MO 82 1/2" X 63 1/4"
FS 82" X 63"
RO 83" X 63 1/2"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.35
Visible Light Transmittance: 0.6
Condensation Resistance: 57
CPD Number: MAR-N-440-06927-00042

Bronze Clad Exterior
Bare White Oak Interior
Ultimate Direct Glaze Narrow Frame Rectangle
Rough Opening 83" X 63 1/2"
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
2 3/16" Jambs
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Initials required
Seller: _____
Buyer: _____

Line #6	Mark Unit: Kitchen	Net Price:		2,456.93
Qty: 1		Ext. Net Price:	USD	2,456.93



As Viewed From The Exterior

Entered As: RO
MO 54 1/2" X 37 3/4"
FS 54" X 37 1/2"
RO 55" X 38"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.33
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 58
CPD Number: MAR-N-352-06539-00001


Bronze Clad Exterior
Bare White Oak Interior
Ultimate Awning Narrow Frame Push Out - Push Out
Rough Opening 55" X 38"
Frame Size 54" X 37 1/2"
0 Degree Frame Bevel
Bronze Clad Sash Exterior
Bare White Oak Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Oil Rubbed Bronze Push Out Handle
Swinging Wood Screen
Bright View Mesh
Bare White Oak
Ogee Interior Screen Profile
Screen Hardware
Oil Rubbed Bronze Butt Hinge
Solid Wood Covers
2 3/16" Jambs
Nailing Fin
***Note: Unit Availability and Price is Subject to Change

Initials required
Seller: _____
Buyer: _____

Line #7	Mark Unit: Guest Bedroom - EGRESS?	Net Price:		5,027.68
---------	------------------------------------	------------	--	----------

Qty: 1		Ext. Net Price:	USD	5,027.68
--------	--	-----------------	-----	----------

MARVIN 



As Viewed From The Exterior

Entered As: RO
MO 52 1/2" X 68 1/2"
FS 52" X 68 1/4"
RO 53" X 68 3/4"
Egress Information A1, A2
Width: 19 13/16" Height: 64 11/64"
Net Clear Opening: 8.83 SqFt
Performance Information A1, A2
U-Factor: 0.32
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 59
CPD Number: MAR-N-359-06539-00001


Bronze Clad Exterior
Bare White Oak Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
53" X 68 3/4"

Unit: A1
Ultimate Casement Narrow Frame Push Out - Left Hand
Basic Frame 26" X 68 1/4"
Standard CN Width 26
Rough Opening 27" X 68 3/4"
0 Degree Frame Bevel
Bronze Clad Sash Exterior
Bare White Oak Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Oil Rubbed Bronze Push Out Handle
Swinging Wood Screen
Bright View Mesh
Bare White Oak
Ogee Interior Screen Profile
Screen Hardware
Oil Rubbed Bronze Butt Hinge
Solid Wood Covers

Unit: A2
Ultimate Casement Narrow Frame Push Out - Right Hand
Basic Frame 26" X 68 1/4"
Standard CN Width 26
Rough Opening 27" X 68 3/4"
0 Degree Frame Bevel
Bronze Clad Sash Exterior
Bare White Oak Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Oil Rubbed Bronze Push Out Handle
Swinging Wood Screen
Bright View Mesh
Bare White Oak
Ogee Interior Screen Profile
Screen Hardware
Oil Rubbed Bronze Butt Hinge
Solid Wood Covers
Standard Mull Charge
2 3/16" Jambs
Jamb Depth has been changed to 2 3/16". Apply Jamb Extension now if needed.
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required
Seller: _____
Buyer: _____

Line #8	Mark Unit: 700	Net Price:		1,960.55
Qty: 1		Ext. Net Price:	USD	1,960.55




Entered As: RO
MO 28 1/2" X 40 1/2"
FS 28" X 40 1/4"
RO 29" X 40 3/4"
Egress Information
Width: 21 13/16" Height: 36 11/64"
Net Clear Opening: 5.48 SqFt
Performance Information
U-Factor: 0.32
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 59
CPD Number: MAR-N-359-06539-00001

- Bronze Clad Exterior
 - Bare White Oak Interior
 - Ultimate Casement Narrow Frame Push Out - Left Hand
 - Rough Opening 29" X 40 3/4"
 - Standard CN Width 28
 - Frame Size 28" X 40 1/4"
 - 0 Degree Frame Bevel
 - Bronze Clad Sash Exterior
 - Bare White Oak Sash Interior
 - IG - 1 Lite
 - Low E2 w/Argon
 - Black Perimeter Bar
 - Putty Exterior Glazing Profile
 - Ogee Interior Glazing Profile
 - Standard Bottom Rail
 - Black Weather Strip
 - Oil Rubbed Bronze Push Out Handle
 - Swinging Wood Screen
 - Bright View Mesh
 - Bare White Oak
 - Ogee Interior Screen Profile
 - Screen Hardware
 - Oil Rubbed Bronze Butt Hinge
 - Solid Wood Covers
 - 2 3/16" Jamb
 - Nailing Fin
- ***Note: Unit Availability and Price is Subject to Change

Initials required
Seller: _____
Buyer: _____

Line #9	Mark Unit: Office - EGRESS?	Net Price:		5,027.68
Qty: 1		Ext. Net Price:	USD	5,027.68



Entered As: RO
MO 52 1/2" X 68 1/2"
FS 52" X 68 1/4"
RO 53" X 68 3/4"
OMS Ver. 0004.13.00 (Current)

- Bronze Clad Exterior
- Bare White Oak Interior
- 2W1H - Rectangle Assembly
- Assembly Rough Opening
- 53" X 68 3/4"
- Unit: A1
- Ultimate Casement Narrow Frame Push Out - Left Hand
- Basic Frame 26" X 68 1/4"
- Standard CN Width 26
- Rough Opening 27" X 68 3/4"
- 0 Degree Frame Bevel
- Bronze Clad Sash Exterior
- Bare White Oak Sash Interior
- IG - 1 Lite
- Low E2 w/Argon
- Black Perimeter Bar
- Putty Exterior Glazing Profile
- Ogee Interior Glazing Profile
- Standard Bottom Rail
- Black Weather Strip
- Oil Rubbed Bronze Push Out Handle
- Swinging Wood Screen
- Bright View Mesh

Egress Information A1, A2
Width: 19 13/16" Height: 64 11/64"
Net Clear Opening: 8.83 SqFt
Performance Information A1, A2
U-Factor: 0.32
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 59
CPD Number: MAR-N-359-06539-00001

Bare White Oak
Ogee Interior Screen Profile
Screen Hardware
Oil Rubbed Bronze Butt Hinge
Solid Wood Covers

Unit: A2
Ultimate Casement Narrow Frame Push Out - Right Hand
Basic Frame 26" X 68 1/4"
Standard CN Width 26
Rough Opening 27" X 68 3/4"
0 Degree Frame Bevel
Bronze Clad Sash Exterior
Bare White Oak Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Oil Rubbed Bronze Push Out Handle
Swinging Wood Screen
Bright View Mesh
Bare White Oak
Ogee Interior Screen Profile
Screen Hardware
Oil Rubbed Bronze Butt Hinge
Solid Wood Covers

Standard Mull Charge
2 3/16" Jamb
Jamb Depth has been changed to 2 3/16". Apply Jamb Extension now if needed.
Nailing Fin

***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.

*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____


Line #10	Mark Unit: Powder	Net Price:		2,489.27
Qty: 1		Ext. Net Price:	USD	2,489.27



Bronze Exterior
Bronze Interior
Modern Awning Push Out - Push Out
Rough Opening 28 3/4" X 40 1/2"
Frame Size 27 1/4" X 39 3/4"
Sash
IG - 15/16 in - 1 Lite
Low E2 Frost w/Argon
Black Perimeter Bar
Matte Bronze Push Out Handle
Inswing Screen
Bronze Screen Surround
Bright View Mesh
***Screen/Combo Ship Loose

3 13/32" Jamb
4 1/2" Overall Jamb Depth
Thru Jamb Installation

NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.



As Viewed From The Exterior

Entered As: RO
MO 27 3/4" X 40"
FS 27 1/4" X 39 3/4"
RO 28 3/4" X 40 1/2"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.31
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.5
Condensation Resistance: 58
CPD Number: MAR-N-447-01527-00004

Weight Summary
Weight(s) provided are approximate calculated packaged weight(s).
Single Unit, 67 lbs.
Screen, 3 lbs.
***Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.

***Note: Unit Availability and Price is Subject to Change


Initials required

Seller: _____

Buyer: _____

Line #11	Mark Unit: Guest Bathroom	Net Price:		2,612.59
Qty: 1		Ext. Net Price:	USD	2,612.59

MARVIN 



As Viewed From The Exterior

Entered As: RO
MO 27 3/4" X 40"
FS 27 1/4" X 39 3/4"
RO 28 3/4" X 40 1/2"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.31
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.5
Condensation Resistance: 58
CPD Number: MAR-N-447-01527-00004

Bronze Exterior
Bronze Interior
Modern Awning Push Out - Push Out
Rough Opening 28 3/4" X 40 1/2"
Frame Size 27 1/4" X 39 3/4"
Sash
IG - 15/16 in - 1 Lite
Tempered Low E2 Frost w/Argon
Black Perimeter Bar
Matte Bronze Push Out Handle
Inswing Screen
Bronze Screen Surround
Bright View Mesh
***Screen/Combo Ship Loose
3 13/32" Jamb
4 1/2" Overall Jamb Depth
Thru Jamb Installation
NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.

Weight Summary
Weight(s) provided are approximate calculated packaged weight(s).
Single Unit, 67 lbs.
Screen, 3 lbs.
***Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.


***Note: Unit Availability and Price is Subject to Change

Initials required

Seller: _____

Buyer: _____

Line #12	Mark Unit: Storage - VERIFY HANDING	Net Price:		630.05
Qty: 1		Ext. Net Price:	USD	630.05



As Viewed From The Exterior

Entered As: RO
MO 39" X 23 3/4"
FS 38 1/2" X 23 1/2"
RO 39" X 24"
Egress Information
Width: 16 9/32" Height: 19 5/8"
Net Clear Opening: 2.22 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.33
Visible Light Transmittance: 0.57
Condensation Resistance: 57
CPD Number: MAR-N-363-00344-00001


Bronze Exterior
Bronze Interior
Essential Glider - XO
Rough Opening 39" X 24"
Standard CN Height 20
Left Sash
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Right Sash
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
1 Oil Rubbed Bronze Sash Lock
Exterior Aluminum Half Screen
Bronze Surround
Bright View Mesh
2" Jambs
Nailing Fin
***Note: Essential rough openings are 1/2" greater than overall frame size width and 1/2" greater than frame size height. Please take note of this when ordering Essential custom sized units.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #13	Mark Unit: Mechanical	Net Price:		338.44
Qty: 1		Ext. Net Price:	USD	338.44



As Viewed From The Exterior

Entered As: RO
MO 16 1/2" X 20 3/4"
FS 16" X 20 1/2"
RO 16 1/2" X 21"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.28

Bronze Exterior
Bronze Interior
Window Frame
Essential Direct Glaze Rectangle
Rough Opening 16 1/2" X 21"
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Additional Mull Info: Stand Alone
2" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Solar Heat Gain Coefficient: 0.36
Visible Light Transmittance: 0.63
Condensation Resistance: 59
CPD Number: MAR-N-325-01096-00001

Project Subtotal Net Price: USD	41,011.50
0.000% Sales Tax: USD	0.00
Project Total Net Price: USD	41,011.50

PRODUCT AND PERFORMANCE INFORMATION

NFRC Ratings:

NFRC energy ratings may vary depending on the exact configuration of glass thickness used on the unit. NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements. NFRC values and ratings are finalized on the date of manufacture.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform rating system for the energy performance of fenestration products, including windows, doors and skylights. For additional information regarding this rating system, see www.nfrc.org.

Code (residential, building or energy) Compliance:

Determining the suitability and compliance with state, provincial, local, or other applicable building codes or standards, including energy codes, is the responsibility of the buyer, user, architect, contractor, installer, and/or other construction professional.