

Modern Carpentry GBM (Modern)

Quote #: 7YD2WSZ

A Proposal for Window and Door Products prepared for:

Job Site:

98105

Shipping Address:

DUNN LUMBER-BELLEVUE
10411 AIRPORT RD STE 102
EVERETT, WA 98204-3523

Featuring products from:



ERIC KENNEDY
DUNN LUMBER-BELLEVUE
PO BOX 45550
SEATTLE, WA 98145-0550
Phone: (206) 634-4564

Email: erick@dunnlumber.com

This report was generated on 1/23/2025 11:06:52 AM using the Marvin Order Management System, version 0004.13.00 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.


NUMBER OF LINES: 13		TOTAL UNIT QTY: 13		EXT NET PRICE: USD		40,913.06
LINE	MARK UNIT	PRODUCT LINE	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1	Pantry	Modern	Marvin Assembly RO 99 1/2" X 63 1/2" Entered as RO 99 1/2" X 63 1/2"	5,236.60	1	5,236.60
2	Family Room	Modern	Direct Glaze Rectangle RO 105" X 69" Entered as RO 105" X 69"	3,847.25	1	3,847.25
3	Family Room	Modern	Direct Glaze Rectangle RO 55" X 69" Entered as RO 55" X 69"	2,007.39	1	2,007.39
4	Dining Room - VERIFY HANDING	Modern	Marvin Assembly RO 105" X 66 1/2" Entered as RO 105" X 66 1/2"	5,891.72	1	5,891.72
5	Pantry	Modern	Direct Glaze Rectangle RO 83" X 63 1/2" Entered as RO 83" X 63 1/2"	1,791.39	1	1,791.39
6	Kitchen	Modern	Awning Push Out RO 55" X 38" Entered as RO 55" X 38"	2,814.34	1	2,814.34
7	Guest Bedroom - EGRESS?	Modern	Marvin Assembly RO 53" X 68 3/4" Entered as RO 53" X 68 3/4"	5,579.48	1	5,579.48
8	700	Modern	Casement Push Out RO 29" X 40 3/4" Entered as RO 29" X 40 3/4"	2,095.06	1	2,095.06
9	Office - EGRESS?	Modern	Marvin Assembly RO 53" X 68 3/4" Entered as RO 53" X 68 3/4"	5,579.48	1	5,579.48
10	Powder	Modern	Awning Push Out RO 28 3/4" X 40 1/2" Entered as RO 28 3/4" X 40 1/2"	2,489.27	1	2,489.27
11	Guest Bathroom	Modern	Awning Push Out RO 28 3/4" X 40 1/2" Entered as RO 28 3/4" X 40 1/2"	2,612.59	1	2,612.59
12	Storage - VERIFY HANDING	Essential	Glider RO 39" X 24" Entered as RO 39" X 24"	630.05	1	630.05
13	Mechanical	Essential	Direct Glaze Rectangle RO 16 1/2" X 21"	338.44	1	338.44

Entered as
RO 16 1/2" X 21"

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: Pantry	Net Price:		5,236.60
Qty: 1		Ext. Net Price:	USD	5,236.60



Entered As: RO
MO 98 1/2" X 63"
FS 98" X 62 3/4"
RO 99 1/2" X 63 1/2"
Egress Information A1, A2
No Egress Information available.
Egress Information A3
Width: 25 7/64" Height: 58 3/64"
Net Clear Opening: 10.12 SqFt
Performance Information A1, A2
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.37
Visible Light Transmittance: 0.64
Condensation Resistance: 62
CPD Number: MAR-N-444-02866-00001
Performance Information A3
U-Factor: 0.31
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.5
Condensation Resistance: 61
CPD Number: MAR-N-446-02618-00001

Bronze Exterior
Bronze Interior
3W1H - Rectangle Assembly
Assembly Rough Opening
99 1/2" X 63 1/2"
Assembly Frame Size
98" X 62 3/4"
Prep for Field Mull Assembly
Mull Kit(s) Included
Sub Assembly 1 - 1W1H
Basic Frame 32 43/64" x 62 3/4"
Unit Locations: A1
Sub Assembly 2 - 2W1H
Basic Frame 65 21/64" x 62 3/4"
Unit Locations: A2,A3

Unit: A1
Modern Direct Glaze Rectangle
Basic Frame 32 43/64" X 62 3/4"
Rough Opening 34 11/64" X 63 1/2"
IG - 15/16 in - 1 Lite
Low E2 w/Argon
Black Perimeter Bar

Unit: A2
Modern Direct Glaze Rectangle
Basic Frame 32 43/64" X 62 3/4"
Rough Opening 34 11/64" X 63 1/2"
IG - 15/16 in - 1 Lite
Low E2 w/Argon
Black Perimeter Bar

Unit: A3
Modern Casement Push Out - Right Hand
Basic Frame 32 43/64" X 62 3/4"
Rough Opening 34 11/64" X 63 1/2"
Sash
IG - 15/16 in - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Matte Bronze Push Out Handle
Low Handle Placement
Inswing Screen
Bronze Screen Surround
Bright View Mesh
***Screen/Combo Ship Loose
Mull 1 - Prep for Vertical Standard Mull - 62 3/4" Long
Standard Mull Charge
3 13/32" Jamb
4 1/2" Overall Jamb Depth
Thru Jamb Installation
NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.
Weight Summary
Weight(s) provided are approximate calculated packaged weight(s).
Screen, 5 lbs.
Sub Assembly 1, 79 lbs.
Sub Assembly 2, 174 lbs.
***Note: Safe handling requires proper lifting techniques using adequate

personnel and appropriate mechanical assistance, based on weight and dimensions.
***Note: This configuration is certified to AAMA 450 and meets a minimum structural performance of DP 40. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the Marvin ADM for additional information regarding the performance rating of the selected mulls.
***Note: Unit Availability and Price is Subject to Change

Initials required

Seller: _____

Buyer: _____

Line #2	Mark Unit: Family Room	Net Price:		3,847.25
Qty: 1		Ext. Net Price:	USD	3,847.25

MARVIN 



As Viewed From The Exterior

Entered As: RO
MO 104" X 68 1/2"
FS 103 1/2" X 68 1/4"
RO 105" X 69"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.36
Visible Light Transmittance: 0.62
Condensation Resistance: 60
CPD Number: MAR-N-444-02827-00001

Bronze Exterior
Bronze Interior
Modern Direct Glaze Rectangle
Rough Opening 105" X 69"
Frame Size 103 1/2" X 68 1/4"
IG - 15/16 in - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
3 13/32" Jamb
4 1/2" Overall Jamb Depth
Thru Jamb Installation
NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.
Weight Summary
Weight(s) provided are approximate calculated packaged weight(s).
Single Unit, 328 lbs.
***Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.
***Note: Unit Availability and Price is Subject to Change

Initials required


Seller: _____

Buyer: _____

Line #3	Mark Unit: Family Room	Net Price:		2,007.39
Qty: 1		Ext. Net Price:	USD	2,007.39

MARVIN 

Bronze Exterior
Bronze Interior
Modern Direct Glaze Rectangle
Rough Opening 55" X 69"
Frame Size 53 1/2" X 68 1/4"
IG - 15/16 in - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
3 13/32" Jamb
4 1/2" Overall Jamb Depth
Thru Jamb Installation
NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.
Weight Summary
Weight(s) provided are approximate calculated packaged weight(s).




Single Unit, 157 lbs.
***Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.
***Note: Unit Availability and Price is Subject to Change

Initials required
Seller: _____
Buyer: _____

Entered As: RO
MO 54" X 68 1/2"
FS 53 1/2" X 68 1/4"
RO 55" X 69"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.37
Visible Light Transmittance: 0.63
Condensation Resistance: 60
CPD Number: MAR-N-444-02840-00001

Line #4	Mark Unit: Dining Room - VERIFY HANDING	Net Price:		5,891.72
Qty: 1		Ext. Net Price:	USD	5,891.72



Entered As: RO
MO 104" X 66"
FS 103 1/2" X 65 3/4"
RO 105" X 66 1/2"
Egress Information A1
No Egress Information available.
Egress Information A2
Width: 15 15/16" Height: 61 3/64"
Net Clear Opening: 6.76 SqFt
Performance Information A1
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.36
Visible Light Transmittance: 0.62
Condensation Resistance: 60
CPD Number: MAR-N-444-02827-00001
Performance Information A2
U-Factor: 0.31
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.5
Condensation Resistance: 62
CPD Number: MAR-N-446-02631-00001

Bronze Exterior
Bronze Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
105" X 66 1/2"
Assembly Frame Size
103 1/2" X 65 3/4"
Prep for Field Mull Assembly
Mull Kit(s) Included
Sub Assembly 1 - 1W1H
Basic Frame 80" x 65 3/4"
Unit Locations: A1
Sub Assembly 2 - 1W1H
Basic Frame 23 1/2" x 65 3/4"
Unit Locations: A2

Unit: A1
Modern Direct Glaze Rectangle
Basic Frame 80" X 65 3/4"
Rough Opening 81 1/2" X 66 1/2"
IG - 15/16 in - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar

Unit: A2
Modern Casement Push Out - Left Hand
Basic Frame 23 1/2" X 65 3/4"
Rough Opening 25" X 66 1/2"
Sash
IG - 15/16 in - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Matte Bronze Push Out Handle
Low Handle Placement
Inswing Screen

Bronze Screen Surround
Bright View Mesh
***Screen/Combo Ship Loose
Mull 1 - Prep for Vertical Standard Mull - 65 3/4" Long
Standard Mull Charge
3 13/32" Jamb
4 1/2" Overall Jamb Depth
Thru Jamb Installation

NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.

Weight Summary

Weight(s) provided are approximate calculated packaged weight(s).

Screen, 4 lbs.

Sub Assembly 1, 251 lbs.

Sub Assembly 2, 83 lbs.

***Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.

***Note: This configuration is certified to AAMA 450 and meets a minimum structural performance of DP 40. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the Marvin ADM for additional information regarding the performance rating of the selected mulls.

***Note: Unit Availability and Price is Subject to Change

Initials required

Seller: _____

Buyer: _____

Line #5	Mark Unit: Pantry	Net Price:		1,791.39
Qty: 1		Ext. Net Price:	USD	1,791.39

MARVIN 



As Viewed From The Exterior

Entered As: RO

MO 82" X 63"

FS 81 1/2" X 62 3/4"

RO 83" X 63 1/2"

Egress Information

No Egress Information available.

Performance Information

U-Factor: 0.28

Solar Heat Gain Coefficient: 0.37

Visible Light Transmittance: 0.63

Condensation Resistance: 60

CPD Number: MAR-N-444-02840-00001

Bronze Exterior
Bronze Interior
Modern Direct Glaze Rectangle
Rough Opening 83" X 63 1/2"
Frame Size 81 1/2" X 62 3/4"
IG - 15/16 in - 1 Lite
Low E2 w/Argon
Black Perimeter Bar

3 13/32" Jamb
4 1/2" Overall Jamb Depth
Thru Jamb Installation

NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.

Weight Summary

Weight(s) provided are approximate calculated packaged weight(s).

Single Unit, 210 lbs.

***Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.

***Note: Unit Availability and Price is Subject to Change


Initials required

Seller: _____

Buyer: _____

Line #6	Mark Unit: Kitchen	Net Price:		2,814.34
Qty: 1		Ext. Net Price:	USD	2,814.34

MARVIN 



As Viewed From The Exterior

Entered As: RO
MO 54" X 37 1/2"
FS 53 1/2" X 37 1/4"
RO 55" X 38"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.31
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.5
Condensation Resistance: 58
CPD Number: MAR-N-447-01527-00001

Bronze Exterior
Bronze Interior
Modern Awning Push Out - Push Out
Rough Opening 55" X 38"
Frame Size 53 1/2" X 37 1/4"
Sash
IG - 15/16 in - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Matte Bronze Push Out Handle
Inswing Screen
Bronze Screen Surround
Bright View Mesh
***Screen/Combo Ship Loose

3 13/32" Jambs
4 1/2" Overall Jamb Depth
Thru Jamb Installation
NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.
Weight Summary
Weight(s) provided are approximate calculated packaged weight(s).
Single Unit, 94 lbs.
Screen, 4 lbs.
***Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.

***Note: Unit Availability and Price is Subject to Change


Initials required

Seller: _____

Buyer: _____

Line #7	Mark Unit: Guest Bedroom - EGRESS?	Net Price:		5,579.48
Qty: 1		Ext. Net Price:	USD	5,579.48

MARVIN 



As Viewed From The Exterior

Entered As: RO
MO 52" X 68 1/4"
FS 51 1/2" X 68"
RO 53" X 68 3/4"
Egress Information A1, A2
Width: 18 3/16" Height: 63 19/64"
Net Clear Opening: 8.00 SqFt
Performance Information A1, A2
U-Factor: 0.31

Bronze Exterior
Bronze Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
53" X 68 3/4"
Assembly Frame Size
51 1/2" X 68"

Unit: A1
Modern Casement Push Out - Left Hand
Basic Frame 25 3/4" X 68"
Rough Opening 27 1/4" X 68 3/4"
Sash
IG - 15/16 in - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Matte Bronze Push Out Handle
Low Handle Placement
Inswing Screen
Bronze Screen Surround
Bright View Mesh
***Screen/Combo Ship Loose

Unit: A2
Modern Casement Push Out - Right Hand
Basic Frame 25 3/4" X 68"
Rough Opening 27 1/4" X 68 3/4"
Sash
IG - 15/16 in - 1 Lite

Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.5
Condensation Resistance: 62
CPD Number: MAR-N-446-02631-00001

Low E2 w/Argon
Black Perimeter Bar
Matte Bronze Push Out Handle
Low Handle Placement
Inswing Screen
Bronze Screen Surround
Bright View Mesh
***Screen/Combo Ship Loose
Standard Mull Charge
3 13/32" Jamb
4 1/2" Overall Jamb Depth
Thru Jamb Installation
NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.
Weight Summary
Weight(s) provided are approximate calculated packaged weight(s).
Screen, 5 lbs.
Screen, 5 lbs.
Assembly, 169 lbs.
***Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.
***Note: This configuration is certified to AAMA 450 and meets a minimum structural performance of DP 40. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the Marvin ADM for additional information regarding the performance rating of the selected mulls.
***Note: Unit Availability and Price is Subject to Change


Initials required

Seller: _____

Buyer: _____

Line #8	Mark Unit: 700	Net Price:		2,095.06
Qty: 1		Ext. Net Price:	USD	2,095.06

MARVIN 



As Viewed From The Exterior

Entered As: RO
MO 28" X 40 1/4"
FS 27 1/2" X 40"
RO 29" X 40 3/4"
Egress Information
Width: 19 15/16" Height: 35 19/64"
Net Clear Opening: 4.89 SqFt
Performance Information
U-Factor: 0.31

Bronze Exterior
Bronze Interior
Modern Casement Push Out - Right Hand
Rough Opening 29" X 40 3/4"
Frame Size 27 1/2" X 40"
Sash
IG - 15/16 in - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Matte Bronze Push Out Handle
Low Handle Placement
Inswing Screen
Bronze Screen Surround
Bright View Mesh
***Screen/Combo Ship Loose
3 13/32" Jamb
4 1/2" Overall Jamb Depth
Thru Jamb Installation
NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.
Weight Summary
Weight(s) provided are approximate calculated packaged weight(s).
Single Unit, 66 lbs.
Screen, 3 lbs.
***Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.
***Note: Unit Availability and Price is Subject to Change

Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.5
Condensation Resistance: 62
CPD Number: MAR-N-446-02631-00001


Initials required

Seller: _____

Buyer: _____

Line #9	Mark Unit: Office - EGRESS?	Net Price:		5,579.48
Qty: 1		Ext. Net Price:	USD	5,579.48

MARVIN 



As Viewed From The Exterior

Entered As: RO
MO 52" X 68 1/4"
FS 51 1/2" X 68"
RO 53" X 68 3/4"
Egress Information A1, A2
Width: 18 3/16" Height: 63 19/64"
Net Clear Opening: 8.00 SqFt
Performance Information A1, A2
U-Factor: 0.31
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.5
Condensation Resistance: 62
CPD Number: MAR-N-446-02631-00001

Bronze Exterior
Bronze Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
53" X 68 3/4"
Assembly Frame Size
51 1/2" X 68"

Unit: A1
Modern Casement Push Out - Left Hand
Basic Frame 25 3/4" X 68"
Rough Opening 27 1/4" X 68 3/4"
Sash
IG - 15/16 in - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Matte Bronze Push Out Handle
Low Handle Placement
Inswing Screen
Bronze Screen Surround
Bright View Mesh
***Screen/Combo Ship Loose

Unit: A2
Modern Casement Push Out - Right Hand
Basic Frame 25 3/4" X 68"
Rough Opening 27 1/4" X 68 3/4"
Sash
IG - 15/16 in - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Matte Bronze Push Out Handle
Low Handle Placement
Inswing Screen
Bronze Screen Surround
Bright View Mesh
***Screen/Combo Ship Loose


Standard Mull Charge
3 13/32" Jamb
4 1/2" Overall Jamb Depth
Thru Jamb Installation
NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.
Weight Summary
Weight(s) provided are approximate calculated packaged weight(s).
Screen, 5 lbs.
Screen, 5 lbs.
Assembly, 169 lbs.
***Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.
***Note: This configuration is certified to AAMA 450 and meets a minimum structural performance of DP 40. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the Marvin ADM for additional information regarding the performance rating of the selected mulls.
***Note: Unit Availability and Price is Subject to Change

Seller: _____

Buyer: _____

Line #10	Mark Unit: Powder	Net Price:		2,489.27
Qty: 1		Ext. Net Price:	USD	2,489.27

MARVIN 



As Viewed From The Exterior

Entered As: RO

MO 27 3/4" X 40"

FS 27 1/4" X 39 3/4"

RO 28 3/4" X 40 1/2"

Egress Information

No Egress Information available.

Performance Information

U-Factor: 0.31

Solar Heat Gain Coefficient: 0.29

Visible Light Transmittance: 0.5

Condensation Resistance: 58

CPD Number: MAR-N-447-01527-00004

Bronze Exterior
Bronze Interior
Modern Awning Push Out - Push Out
Rough Opening 28 3/4" X 40 1/2"
Frame Size 27 1/4" X 39 3/4"
Sash
IG - 15/16 in - 1 Lite
Low E2 Frost w/Argon
Black Perimeter Bar
Matte Bronze Push Out Handle
Inswing Screen
Bronze Screen Surround
Bright View Mesh
***Screen/Combo Ship Loose

3 13/32" Jamb

4 1/2" Overall Jamb Depth

Thru Jamb Installation

NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.

Weight Summary

Weight(s) provided are approximate calculated packaged weight(s).

Single Unit, 67 lbs.

Screen, 3 lbs.

***Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.

***Note: Unit Availability and Price is Subject to Change

Initials required

Seller: _____

Buyer: _____

Line #11	Mark Unit: Guest Bathroom	Net Price:		2,612.59
Qty: 1		Ext. Net Price:	USD	2,612.59

MARVIN 


Bronze Exterior
Bronze Interior
Modern Awning Push Out - Push Out
Rough Opening 28 3/4" X 40 1/2"
Frame Size 27 1/4" X 39 3/4"
Sash
IG - 15/16 in - 1 Lite
Tempered Low E2 Frost w/Argon
Black Perimeter Bar
Matte Bronze Push Out Handle
Inswing Screen
Bronze Screen Surround
Bright View Mesh
***Screen/Combo Ship Loose

3 13/32" Jamb

4 1/2" Overall Jamb Depth

Thru Jamb Installation

NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling



As Viewed From The Exterior

Entered As: RO

MO 27 3/4" X 40"

FS 27 1/4" X 39 3/4"

RO 28 3/4" X 40 1/2"

Egress Information

No Egress Information available.

Performance Information

U-Factor: 0.31

Solar Heat Gain Coefficient: 0.29

Visible Light Transmittance: 0.5

Condensation Resistance: 58

CPD Number: MAR-N-447-01527-00004

equipment are present and prepared to take delivery and offload the product.

Weight Summary

Weight(s) provided are approximate calculated packaged weight(s).

Single Unit, 67 lbs.

Screen, 3 lbs.

***Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.

***Note: Unit Availability and Price is Subject to Change


Initials required

Seller: _____

Buyer: _____

Line #12	Mark Unit: Storage - VERIFY HANDING	Net Price:		630.05
Qty: 1		Ext. Net Price:	USD	630.05

MARVIN 



As Viewed From The Exterior

Entered As: RO

MO 39" X 23 3/4"

FS 38 1/2" X 23 1/2"

RO 39" X 24"

Egress Information

Width: 16 9/32" Height: 19 5/8"

Net Clear Opening: 2.22 SqFt

Performance Information

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.33

Visible Light Transmittance: 0.57

Condensation Resistance: 57

CPD Number: MAR-N-363-00344-00001

Bronze Exterior

Bronze Interior

Essential Glider - XO

Rough Opening 39" X 24"

Standard CN Height 20

Left Sash

IG - 1 Lite

Low E2 w/Argon

Black Perimeter Bar

Right Sash

IG - 1 Lite

Low E2 w/Argon

Black Perimeter Bar

1 Oil Rubbed Bronze Sash Lock

Exterior Aluminum Half Screen

Bronze Surround

Bright View Mesh

2" Jambs

Nailing Fin

***Note: Essential rough openings are 1/2" greater than overall frame size width and 1/2" greater than frame size height. Please take note of this when ordering Essential custom sized units.

***Note: Unit Availability and Price is Subject to Change


Initials required

Seller: _____

Buyer: _____

Line #13	Mark Unit: Mechanical	Net Price:		338.44
Qty: 1		Ext. Net Price:	USD	338.44

MARVIN 



As Viewed From The Exterior

Entered As: RO
MO 16 1/2" X 20 3/4"
FS 16" X 20 1/2"
RO 16 1/2" X 21"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.36
Visible Light Transmittance: 0.63
Condensation Resistance: 59
CPD Number: MAR-N-325-01096-00001

Bronze Exterior
Bronze Interior
Window Frame
Essential Direct Glaze Rectangle
Rough Opening 16 1/2" X 21"
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Additional Mull Info: Stand Alone
2" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Initials required
Seller: _____
Buyer: _____

Project Subtotal Net Price: USD	40,913.06
0.000% Sales Tax: USD	0.00
Project Total Net Price: USD	40,913.06

PRODUCT AND PERFORMANCE INFORMATION

NFRC Ratings:

NFRC energy ratings may vary depending on the exact configuration of glass thickness used on the unit. NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements. NFRC values and ratings are finalized on the date of manufacture.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform rating system for the energy performance of fenestration products, including windows, doors and skylights. For additional information regarding this rating system, see www.nfrc.org.

Code (residential, building or energy) Compliance:

Determining the suitability and compliance with state, provincial, local, or other applicable building codes or standards, including energy codes, is the responsibility of the buyer, user, architect, contractor, installer, and/or other construction professional.